

**LIST OF PUBLICATIONS**

1. Dubra, M.S., **Lebendiker, M.A.**, Grigera, P.R., Tisminetzky, S.G., Costa Giomi, M.P., Sagedhal, A., La Torre, J.L., and Vasquez, C.(1981) Biología Molecular del Virus de la Fiebre Aftosa. *Medicina* 41: 221-229.
2. La Torre, J.L., Underwood, B.O., **Lebendiker, M.A.**, Gorman, B.M., and Brown, F. Application of RNAase (1982) T1 one and two-dimensional analysis to the rapid identification of Foot-and-Mouth Disease viruses. *Infection and Immunity* 36: 142-147.
3. Scodeller, E.A., **Lebendiker, M.A.**, Dubra, M.S., Basarab, O., La Torre, J.L., and Vasquez, C.(1982). An experimental vaccine for Foot-and-Mouth Disease Virus. *Proceedings of the 16th Conference of Foot-and-Mouth Disease Virus of the International Organization of Epizootes* 45-55.
4. Scodeller, E.A., **Lebendiker, M.A.**, Dubra, M.S., Crespo, D.A., Basarab, O., La Torre, J.L., and Vasquez, C.(1984). Inactivation of FMDV vaccine strains by activation of virus associated endonuclease. *J. of General Virology*, 65(9): 1567-1573.
5. Itamar, D., Gonsky, R., **Lebendiker, M.**, and Kaempfer, R. (1984) The nature of the interaction of eukaryotic initiation factor 2 with double-stranded RNA. *Eur. J. Biochem.* 145, 373-379.
6. Kaempfer, R., Gonsky, R., and **Lebendiker, M.** (1986). Binding of ATP to eIF-2 induces modulation of its Met-tRNAf-and mRNA-binding activities. *In: Translational Control (M. Mathews, ed.), Cold Spring Harbor, N.Y.* pp. 58-62.
7. **Lebendiker, M.A.**, Tal, C., Sayar, D., Pilo, S., Eilon, A., Banai, Y., and Kaempfer, R. (1987). Superinduction of the human gene encoding immune interferon. *EMBO J.* 6, 585-589.
8. Kaempfer, R., Sayar, D., Efrat, S., **Lebendiker, M.**, Ketzinel, M., and Tal, C. (1987) Human interleukin-2 and interferon-gamma gene expression is regulated by suppressor T cells. *Lymphokine Research* 6, 1640.
9. Sayar, D., **Lebendiker, M.**, Silberberg, C., Reshef, A., Gerez, L., Ketzinel, M., and Kaempfer, R. (1988). Superinduction and differential regulation of expression of human IL-2 receptor alpha-subunit mRNA species. *Lymphokine Research* 7, 310.
10. Grigera,P.R., Tisminetzky, S.G., **Lebendiker, M.A.**, Periolo, O.H. and La Torre, J.L. (1988). Presence of a 43-kDa host-cell polypeptide in purified aphtovirions. *Virology* 165 (2): 584-588
11. Gonsky, R., **Lebendiker, M.A.**, Harary, R., Banai, Y., and Kaempfer, R. (1990) Binding of ATP to eukaryotic initiation factor 2: differential modulation of mRNA-binding activity and GTP-dependent binding of Met-tRNAf. *J. Biol. Chem.* 265: 9083-9089.
12. Kaempfer, R., Sayar, D., **Lebendiker, M.**, Arad, G., Gerez, L., and Ketzinel, M. (1990) Post-transcriptional regulation of the human gene encoding the p55 alpha-subunit of the IL-2 receptor. *J. Leukocyte Biol. Suppl.* 1, 16.
13. Yerushalmi, H., **Lebendiker, M.A.**, and Schuldiner, S.. (1995) EmrE, an Escherichia coli 12-kDa Multidrug Transporter, Exchanges Toxic Cations and H<sup>+</sup> and Is Soluble in Organic Solvents. *J. Biol. Chem.* 270:6856-6863

14. Arkin,I.T.,Russ,W.P.,**Lebendiker,M.**,and Schuldiner,S (1996). Determining the Secundary Structure and Orientation of Emr-E, a multi-drug Transporter, indicates a Transmembrane Four Helix Bundle. *Biochemistry* 35: 7233-7238.
15. Schuldiner,S.,**Lebendiker,M.**,Mordoch,S.,Yelin,R. and Yerushalmi,H. (1996). From multidrug resistance to vesicular neurotransmitter transport.In press (in "Transport Processes in Membrane"Handbook of Biological Physics, ed. Konings, W.N., Kaback H.R.and Lolkema,J.S. ;Elsiever).
16. **Lebendiker,M.** and Schuldiner,S. (1996).Identification of residues in the translocation pathway of EmrE,a multidrug antiporter from *Escherichia coli*. *J.of Biol.Chem.* 271: 21193-21199.
17. Yerushalmi, H., **Lebendiker, M.A.**, and Schuldiner, S.. (1996).Negative dominance studies demonstrate the oligomeric structure of EmrE, a multidrug antiporter from *Escherichia coli*. *J.of Biol.Chem.* 271: 31044-31048.
18. Schuldiner,S.,**Lebendiker,M.** and Yerushalmi,H. (1997). EmrE, the smallest ion-coupled transporter, provides a unique paradigm for structure-function studies. *J. of Experimental Biology* 200: 335-341.
19. Schwaiger, M., **Lebendiker, M.**, Yerushalmi, H., Coles, M., Groger, A., Schwartz, C., Schuldiner,S.,and Kessler, H. (1998). NMR-Investigation of the Multidrug Transporter Emr-E an Integral Membrane Protein. *Eur. J. of Biochemistry* 254: 610-619.
20. Steiner Mordoch S., Granot D., **Lebendiker, M.**, and Schuldiner, S. (1999). Scanning Cysteine accessibility of EmrE, an H+-coupled Multidrug Transporter from *Escherichia coli*, reveals a Hydrophobic pathway for solutes. *J. of Biol. Chemistry* 274: 19480-19486
21. Tate C., Kunji E., **Lebendiker M.**, and Schuldiner S. (2001). The projection structure of EmrE, a proton linked multidrug transporter from *Escherichia coli*, at 7Å resolution. *The EMBO Journal* 20: 77-81
22. Orzech E., Okhrimenko H., Reich V., Cohen S., Weiss A., Melamed-Book N., **Lebendiker M.**, Altschuler Y.and Aroeti B.(2001). The AP-1 adaptor of the clathrin coat associates with microtubules via microtubule associated proteins. *J.of Biol. Chemistry* 276 (33): 31340-31348
23. Fish A, **Lebendiker M**, Nechushtai R & Livnah O (2003). Purification, crystallization and preliminary X-ray analysis of ferredoxin isolated from thermophilic cyanobacterium *Mastigocladus laminosus*. *Acta Crys. D-59:* 734-736
24. Listovsky T., Oren Y., Yudkovsky Y., **Lebendiker M.** and Brandeis M. (2004). Fzr mediates its own degradation. *EMBO J. 00 :* 1-8
25. Klein S., Geiger T., Linchevski I., **Lebendiker M.**, Itkin A., Assayag K. and Levitzki A. (2005) Expression and purification of active PKB kinase in *E. coli* *Protein Expression and Purification* 41: 162–169
26. Sher D., Fishman Y., Zhang M., **Lebendiker M.**, Gaathon A., Manchenio J. and Zlotkin E. (2005) Hydralisins: a new category of diverse Beta-Poreforming toxins in Cnidaria. Characterization and preliminary structure-function analysis. *J. of Biol. Chemistry* 280: 22847 – 22855
27. Diskin R., **Lebendiker M.**, Engelberg L. And Livnah O. (2007) Structures of p38 $\alpha$  Active Mutants Reveal Conformational Changes in L16 Loop that Induce Autophosphorylation and Activation. *J. Mol. Biol.* (2007) 365, 66–76
28. Hayouka Z., Rosenbluh J., Levin A., Loya S., **Lebendiker M.**, Veprintsev D., Kotler M., Hizi A., Loyter A. & Friedler A. (2007) Inhibiting HIV-1 Integrase by Shifting its Oligomerization Equilibrium *PNAS* 104 (20): 8316-8321

29. Shalev-Malul G., Viner-Mozzini Y., Sukenik A., Gaathon A., **Lebendiker M.** and Kaplan A. (2008) An AbrB-like protein might be involved in the regulation of cylindrospermopsin production by Aphanizomenon ovalisporum. *Environmental Microbiology* 10(4), 988–999
30. Rotem S., Katz C., **Lebendiker M.**, Veprintsev D., Rüdiger S., Danieli T. and Friedler A. (2008) A natively unfolded proline-rich domain in ASPP2 regulates its protein interactions by intramolecular binding to the Ank-SH3 domains. *J. of Biol. Chemistry* 283 (27: 18990–18999
31. Katz C., Benyamin H., Rotem S., **Lebendiker M.**, Danieli T., Iosub A., Refael H., Dines M., Bronner V., Bravman T., ShalevD., Rüdiger S., and Friedler A. (2008) Molecular basis of the interaction between the antiapoptotic Bcl-2 family proteins and the proapoptotic protein ASPP2 *PNAS* 105 (34): 12277–12282
32. Reingewertz T.; Benyamin H.; **Lebendiker M.**; Shalev D. and Friedler A. (2009) The C-Terminal Domain of the HIV-1 Vif Protein is Natively Unfolded in its Unbound State. PEDS (Protein Engineering, Design, and Selection) 1–7, doi: 10.1093/protein/gzp004
33. Lieman-Hurwitz J., Haimovich M., Shalev-Malul G., Ishii A., HiharaY., Gaathon A., **Lebendiker M.** and Kaplan A. (2009) A cyanobacterial AbrB-like protein affects the apparent photosynthetic affinity for CO<sub>2</sub> by modulating low-CO<sub>2</sub>-induced gene expression. *Environmental Microbiology* 11(4), 927–936
34. Tabib A., Krispin A., Trahtenberg U., Verbovetsky I., **Lebendiker M.**, Danieli T., and Mevorach D. (2009) Thrombospondin-1-N-terminal domain (heparin binding N-terminal domain) induces a phagocytic state, and Thrombospondin-1-C-terminal domain induces a tolerizing phenotype in dendritic cells. *PLoS ONE* 4(8) e6840 1–7
35. Elbaz Y., Danieli T., Kanner B. and Schuldiner S. (2010) Expression of neurotransmitter transporters for structural and biochemical studies. *Protein Expr Purif.* 73:152–160.
36. **Lebendiker M.**, and Danieli T. (2010) Purification of Proteins fused to Maltose-binding Protein. *Protein Chromatography: Methods and Protocols. Editor(s): Dermot Walls, Sinéad T. T. Loughran Series: Methods in Molecular Biology Vol.681:* 281–293
37. Siman P., Blatt O., Moyal T., Danieli T., **Lebendiker M.**, Lashuel H., Friedler A. and Brik A. (2011) Chemical Synthesis and Expression of the HIV-1 Rev Protein *ChemBioChem* 12, 1097 – 1104
38. Reingewertz T., Shalev D., Sukenik S., Blatt O., Rotem S., **Lebendiker M.**, Larisch S. & Friedler A. (2011) Mechanism of the Interaction between the Intrinsically Disordered C-terminus of the Proapoptotic ARTS Protein and the Bir3 Domain of XIAP *PLoS ONE* 6(9): e24655. doi:10.1371/journal.pone.0024655
39. Weiss S., Kohn E., Dadon D., Katz B., Peters M., **Lebendiker M.**, Kosloff M., Colley N. and Minke B. (2012) Compartmentalization and Ca<sup>2+</sup> buffering are essential for prevention of light induced retinal degeneration. *The Journal of Neuroscience* 32(42):14696 –14708
40. Gabizon R., Brandt T., Sukenik S., **Lebendiker M.**, Lahav N., Veprintsev D. and Friedler A. (2012) Modulating the oligomerization equilibrium of p53 by peptides that bind its C terminal domain. *PLoS ONE* 7 (5) e38060
41. Harel, M., Weiss, G., Lieman-Hurwitz, J., Gun, J., Lev, O., **Lebendiker, M.**, Temper, V., Block, C., Sukenik, A., Zohary, T., Braun, S., Carmeli, S., Kaplan, A. (2012) Interactions between *Scenedesmus* and *Microcystis* may be used to clarify the role of secondary metabolites. *Environ. Microbiol. Rep.*, DOI:10.1111/j.1758-2229.2012.00366.x
42. Amartely H., David A., **Lebendiker M.**, Benyamin H., Israeli S. and Friedler A. (2013) The STIL protein contains intrinsically disordered regions that mediate its protein-protein interactions *Chemical Communication* DOI: 10.1039/c3cc45096a
43. **Lebendiker M.**, and Danieli T. (2014) Production of prone to aggregate proteins. *FEBS Lett.* (2014), <http://dx.doi.org/10.1016/j.febslet.2013.10.044>

44. Buch M., Wine Y., Dror Y., Rosenheck S., **Lebendiker M.**, Giordano R., Leal R., Popov A., Freeman A and Frolow F. (2014) Protein Products Obtained by Site-Preferred Partial Crosslinking in Protein Crystals and “Liberated” by Redissolution. *Biotechnology and Bioengineering* DOI 10.1002/bit.25186
45. Sharabi O., Shirian J., Grossman M., **Lebendiker M.**, Sagi I., and Shifman J. (2014) Affinity- and specificity-enhancing mutations are frequent in multispecific interactions between TIMP2 and MMPs. *BMC Res Notes*. 2014 7:585 doi:10.1186/1756-0500-7-585
46. **Lebendiker M.**, Danieli T. and de Marco A. (2014) The Trip Adviser guide to the protein science world: a proposal to improve the awareness concerning the quality of recombinant proteins. *BMC Res Notes*. 2014 7:585 doi:10.1186/1756-0500-7-585
47. Maes M.; Amit E.; Danieli T.; **Lebendiker M.**; Loyter A. and Friedler A. (2014) The disordered region of Arabidopsis VIP1 binds the Agrobacterium VirE2 protein outside its DNA binding site. *Protein Engineering, Design, and Selection* (PEDS)1-8 doi:10.1093/protein/gzu036
48. **Lebendiker M.**, Maes M. and Friedler A (2015) A screening methodology for purifying proteins with aggregation problems. *Methods in Molecular Biology: "Insoluble Proteins" book (Springer)* 1258: 261-281
49. Iosub Amir A., van Rosmalen M., Mayer G., **Lebendiker M.**, Danieli T. and Friedler A. (2015) Highly homologous proteins exert opposite biological activities by using different interaction interfaces. *Scientific Reports (Nature)* 5, 11629; doi: 10.1038/srep 11629
50. Shavit R., **Lebendiker M.**, Pasternak Z., Burdman S. and Helman Y. (2016) The *vapB-vapC* Operon of *Acidovorax citrulli* Functions as a *bona-fide* Toxin-Antitoxin Module. *Front. Microbiol.*, 06 January 2016 | <http://dx.doi.org/10.3389/fmicb.2015.01499>
51. Shoshan M., Dekel N., Goch W., Shalev D., Danieli T., **Lebendiker M.**, Bal W. and Tshuva E. (2016) Unbound Position II in MXCXXC Metallochaperone Model Peptides Impacts Metal Binding Mode and Reactivity: Distinct Similarities to Whole Proteins. *Journal of Inorganic Biochemistry* doi: [10.1016/j.jinorgbio.2016.02.016](https://doi.org/10.1016/j.jinorgbio.2016.02.016)
52. Amartely H., David A., Shamir M., **Lebendiker M.**, Israeli S. and Friedler A. (2016) Differential effects of Zinc binding on structured and disordered regions in the multidomain STIL protein. *Chemical Science* DOI: 10.1039/x0xx00000x
53. Edinger N., **Lebendiker M.**, Klein S., Zigler M., Langut Y and Levitzki A. (2016) Targeting polyIC to EGFR over-expressing cells using a dsRNA binding protein domain tethered to EGF. *PLoS ONE* 11(9): e0162321. doi:10.1371/journal.pone.0162321
54. Langut Y., Edinger N., Flashner-Abramson E., Melamed-Book N., **Lebendiker M.**, Klein S., and Levitzki A. (2017) PSMA-homing dsRNA chimeric protein vector kills prostate cancer cells and evokes anti-tumor immunity. *Oncotarget* 2017 Apr 11; 8(15): 24046–24062 [10.18632/oncotarget.15733](https://doi.org/10.18632/oncotarget.15733)
55. **Lebendiker M.**, and Danieli T. (2017) Purification of Proteins fused to Maltose-binding Protein. *Methods Mol Biol* 1485 257-273: *Protein Chromatography: Methods and Protocols*. Editor(s): Dermot Walls, Sinéad T. T. Loughran
56. Amartely H., Avraham O., Friedler A., Livnah O. and **Lebendiker M.** (2018) Coupling Multi Angle Light Scattering to Ion Exchange chromatography (IEX-MALS) for protein characterization. *Scientific Reports* (2018) 8:6907 DOI:10.1038/s41598-018-25246-6
57. Abbasi R., Mousa R., Dekel N., Amartely H., Danieli T., Lebendiker M., Levi-Kalisman Y., Shalev D., Metanis N., Chai L. (2018) The Bacterial Extracellular Matrix Protein TapA Is a Two-Domain Partially Disordered Protein. *Chembiochem*. 19, 1-6 <https://doi.org/10.1002/cbic.201900009>

